


# INDEX

## RUBBER CHEMISTRY AND TECHNOLOGY

### VOLUME XXXV, 1962

#### AUTHOR INDEX

	Page		Page
ALMOND, C. Y. NBR-PVC mixtures .....	716	CHATFIELD, H. W. Science of coatings, Book, 4th issue .....	xiv
AMBELANG, J. C., K. C. BEACH, AND D. F. O'SULLIVAN. Temperature coefficient of vulcanization .....	92	CHATTERJEE, P. K., D. BANNERJEE AND A. K. SIRCAR. Thiazole thiol determination .....	665
AMBERG, L. O. see Robinson, A. E.		—, AND A. K. SIRCAR. Reaction of MBT during mastication .....	671
ANDREWS, E. H. Crack propagation in strain crystallizing elastomer .....	210	CHERNOMONSKAYA, I. G., see Feldshtein, M. S.	
AULER, H. AND S. BOSTROM. Effect of carbon black on sulfur diffusion .....	621	COLLETTE, J. W., see Gladding, E. K.	
BANNERJEE, D., see Chatterjee, P. K.		DAVIES, A. G. Organic Peroxides, 5th issue	xxiv
BARRIE, J. A. AND B. PLATT. Sorption and diffusion of hydrocarbons in stretched rubber, effect of crystallization .....	153, 166	DESSEWFF, O. Dependence of bound rubber on filler and temperature .....	599, 611
BARTENEV, G. M., see Zakharenko, N. V.		DEVIRTS, E. YA AND A. S. NOVIKOV. Oxidation of NBR .....	700
BARTENEV, G. M. Friction and rubber structure .....	371	DOBROMYSLOVA, A. V., see Dogadkin, B. A.	
BATEMAN, L., R. W. GLAZEBROOK, AND C. G. MOORE. Vulcanization Reaction of sulfur with 2,6-dimethyl-2,6-octadiene .....	633	DOGADKIN, B. A. AND V. A. SHERSHNEV. Review of vulcanization in presence of accelerators .....	1
BEACH, K. C., see Ambelang, J. C.		—, A. V. DOBROMYSLOVA, O. N. BELYATSKAYA AND T. A. GYUL-NAZAROVA. Scorching of filled and unfilled stocks ..	509
BELYATSKAYA, O. N., see Dogadkin, B. A.		—, A. V. DOBROMYSLOVA, AND O. N. BELYATSKAYA. Scorch and retarder effects in sulfur combination .....	501
BIKERMANN, J. J. Book, Science of adhesive joints, 1st issue .....	xvii	DOLGOPLOSK, B. A., see Ermakova, I. I.	
BILLS, JR., K. W., AND F. S. SALCEDO. Swelling of unfilled and highly filled polymers .....	284	DORKO, Z. J., D. C. EDWARDS AND F. B. LUMB. Curing of High unsaturation butyl .....	705
BINDER, J. L. Applications of infrared spectroscopy, review .....	57	EDWARDS, D. C., see Dorko, Z. J.	
BISHOP, W. A. Sulfur induced isomerization of polybutadiene .....	536	EITINGTON, I. I., M. S. FELDSTEIN, AND D. M. PEVNER. Sulfenamide accelerators .....	644
BORCHARDT, H. A., Rolling radius of rubber cylinders .....	224	—, see Feldshtein, M. S.	
BORSCHCHEVSKAYA, A. Z., see Zuev, Yu. S.		ERMAKOVA, I. I., B. A. DOLGOPLOSK, AND E. N. KROPACHEVA. Isomerization of polybutadiene .....	618
BOSTROM, S., see Auler, H.		FAWCETT, M. S., see Verbanc, J. J.	
BRADEN, M. AND A. N. GENT. Mechanics of ozone cracking .....	200	FELDSTEIN, M. S., see Eitington, I. I.	
BINGHAM, W. R., see Kelly, R. J.		—, I. G. CHERNOMONSKAYA, E. N. GURYANOVA AND I. I. EITINGTON. Sulfenamide accelerators .....	652
BRISTOW, G. M. Mastication of NR in nitrogen .....	896	FELDSTEIN, L. S., see Kuzminskii, A. S.	
BROWN, K. J., R. B. KNILL, K. F. KERSCHER AND R. V. TODD. Compounding of polybutadiene .....	546	FISHER, B. S., see Gladding, E. K.	
BRUCKSCH, JR., W. F. PBR, crosslinking and properties when cured with metal halides .....	453	FITZGERALD, E. R. Dynamic properties of stretched rubber .....	388
BUECHE, F. Rubber-filler interaction .....	259	FLYNN, J. H., see Wall, L. A.	
BUSHWELL, A. G. AND J. T. WATTS. Ozone resistance, factors influencing .....	421	FRANCE, A., K. HAYNER AND W. F. KEEN. Activation energy of vulcanization .....	76
BUTENUTH, G., see Westlinning, H.		FUKUDA, HARUKO, AND J. TSURUGI. Vulcanization, mechanism of sulfenamid acceleration .....	484, 491
CARLETON, C. A. Chemical compatibility and dispersion in rubber .....	881	FURUKAWA, J., see Sato, Y.	
CARPONICH, E. A. Book, Russian-English dictionary, 1st issue .....	xviii	—, Kinetic theory of rheological behavior .....	1013
CARROLL-PORCZYNSKI, C. Z. Book, Manual of man-made fibers, 1st issue .....	xviii	GARNER, H. K., see Kelly, R. J.	
CHAPIRO, A. Radiation chemistry of polymeric systems, Book, 4th issue .....	xii	GEHMAN, S. D. Theory of filler dispersions ..	819
CHASSET, R., AND R. THIRON. Electrical anisotropy of stretched filled NR and SBR .....	317		



- |   | Page          |   | Page  |
|---|---------------|---|-------|
| GELINAS, L. P. AND E. B. STOREY. Towing device for road wear .....  | 339           | LEWIS, F. M. Silicone rubbers, Rubber Review .....  | 1222  |
| —, I. W. E. HARRIS AND E. B. STOREY. Towing device for road wear .....  | 354           | LIVANOVA, I. V., see Raevskii, V. G.  |       |
| GENT, A. N., see Braden, M.   |               | LORENZ, O. AND C. R. PARKS. Determination of <i>p</i> -phenylene diamines .....   | 676   |
| GESSNER, TERESA. Vulcanization. Reaction of thiuram sulfides with alkali .....  | 659           | LUFTER, C. H., see Starmer, P. H.   |       |
| GIPPIN, M. Butadiene polymerization with alkylaluminum and $\text{CoCl}_2$ .....                                      | 1066          | LUMB, P. B., see Dorko, Z. J.   |       |
| GLADDING, E. K., B. S. FISHER AND J. W. COLLETTE. Ethylene-propylene nonconjugated diene terpolymer .....             | 1114          | LYGIN, V. I., N. V. KOVALEVA, N. N. KAVTARADZE AND A. V. KISELEV. Oxidized carbon black structure and properties .....              | 311   |
| GLAZERBROOK, R. W., see Bateman, L.   |               | McGAVACK, JOHN. 100 Top contributors to world's rubber literature, 5th issue .....  | xlv   |
| GOLDBERG, E. J., see Verbanc, J. J.   |               | McHENRY, W. D. Tracer study of anti-oxidant action .....  | 692   |
| GRILIKHES, S. YA., see Yakubchik, A. I.   |               | McKELVEY, J. M., Polymer Processing, 5th issue .....  | xxiii |
| GROSCH, K. A. AND A. SCHALLAMACH. Tire wear at controlled slip .....  | 1342          | MAGNUSSON, A. B., see Smith, T. L.  |       |
| GYUL-NAZAROVA, T. A., see Dogadkin, B. A.   |               | MARRA, J. V., see Robinson, A. E.   |       |
| GURYANOVA, E. N., see Feldshtein, M. S.   |               | MARTEL, R. F., AND D. E. SMITH. $\text{N,N'}$ -Dinitroso- <i>p</i> -phenylene-bis (hydroxylamine) salts in vulcanization .....      | 141   |
| HAFNER, K., see Franck, A.  |               | MASON, P. Physical properties and molecular packing .....   | 906   |
| HAXO, H. E., see Kelly, R. J.   |               | —, II. Influence of C black on strain dependence of viscoelasticity .....   | 918   |
| HAYES, R. A. Glass temperature, molar cohesion and structure .....  | 558           | —, III. Strain dependence of viscoelasticity for NR and butyl at high strain .....  | 927   |
| HEIN, R. W., see Kovacic, P.  |               | MITCHELL, J. M., see Rupa, W.   |       |
| HEINZ, H. D., K. SCHMIEDER, GO. SCHNELL, AND K. A. WOLF. Shift of 2nd order transition by crosslinking .....          | 776           | MOONEY, M. Charles Goodyear Medal address, 5th issue .....  | xxvii |
| HESS, W. M. Pigment dispersion analysis .....   | 228           | MOORE, C. G., see Bateman, L.   |       |
| JAMES, D. I. Friction between elastomers and steel .....  | 379           | —, L. MULLINS AND P. McL. SWIFT. Crosslinking efficiency in vulcanization .....   | 105   |
| JANACEK, J. Inorganic filler dispersions, deformation behavior .....  | 833           | —, AND B. R. TREGO. Crosslink structure .....   | 113   |
| —, Crosslinking in filled rubber .....  | 563           | MOORE, G. R., see Schollenberger, C. S.   |       |
| —, Deformation of filled rubber .....   | 572, 581, 590 | MORITA, E., see Trivette, C. D.   |       |
| —, Influence on crosslinking .....  | 839           | MULA, A., see Schulz, G. V.   |       |
| JOHNSON, V. J. Low temperature properties, Book, 4th issue .....  | xvi           | MULLINS, L., see Moore, C. G.   |       |
| JUVE, A. E. AND A. G. VEITH. Abrasion-reinforcement tests review .....  | 1276          | NIELSEN, L. E. Mechanical properties of polymers, Book, 4th issue .....   | xx    |
| KELLY, R. J., H. K. GARNER, H. E. HAXO AND W. R. BINGHAM. Ethylene propylene copolymers with soluble catalysts .....  | 1101          | NOURY, A. Reclaimed rubber, Book, 4th issue .....   | xviii |
| KERN, W. F., see Franck, A.   |               | NOVIKOV, A. S., see Devirts   |       |
| KERSCHER, K. F., see Brown, R. J.   |               | —, see Shvetsov, V. A.  |       |
| KHERASKOVA, E. P., N. A. OKHOPKINA AND V. N. PROVOROV. Determination of free sulfur in presence of accelerators ..... | 498           | OKHAPKINA, N. A., see Kheraskova, E. P.   |       |
| KHODZHAeva, I. V. AND YU. V. KISSIN. Chromatographic separation of sulfur and accelerators .....                      | 449           | O'SULLIVAN, D. F., see Ambelang, J. C.  |       |
| KIME, J. M., see Trivissano, N. M.  |               | PACTOREK, K. L. Crosslinking of fluoro-elastomers, Interim report, 4th issue .....  | xv    |
| KISELEV, A. V., see Lygin, V. I.  |               | PARISH, G. J. Rubber covered pressure rollers behavior .....  | 403   |
| KISSIN, YU. V., see Khodzhaeva, I. V.   |               | PARKS, C. R., see Lorenz, O.  |       |
| KLINE, G. M. Analytical chemistry of polymers. II and III, books, 4th issue .....                                     | xvii          | PEVZNER, D. M., see Eitington, I. I.  |       |
| KNILL, R. B., see Brown, R. J.  |               | PEVZENKO, A. P., see Shvetsov, V. A.  |       |
| KOVACIC, P. AND R. W. HEIN. Crosslinking with maleimides .....  | 520, 528      | PLATT, B., see Barrie, J. A.  |       |
| KOVALEVA, N. V., see Lygin, V. I.   |               | PRAVEDNIKOVA, S. I., see Zuev, Yu. S.   |       |
| KAVTARADZE, N. M., see Lygin, V. I.   |               | PRESTRIDGE, E. B. Pigment dispersion analysis .....   | 250   |
| KROPACHEVA, E. N., see Ermakova, I. I.  |               | PROVOROV, V. N., see Kheraskova, N. A.  |       |
| KUZMINSKII, A. S., L. S. FELDSTEIN AND S. A. REITLINGER. Blooming of sulfur, etc. ....                                | 147           | PURLOVA, V. S., see Yakubchik, A. I.  |       |
| LAMM, A. Reinforcement of latex with C black and with radiation .....   | 848           | RAEVSKII, V. G., S. S. VOYUTSKII, I. V. LIVANOVA, AND Z. T. SHTEINBERG. Adhesion and elastomer structure. I. Rubber to fibers ..... | 1041  |
| LAMM, MRS. G. LAMM, see Lamm, A.  |               | —, II. Effect of side chain unsaturation .....  | 1047  |
| LANDEL, F. L. AND T. L. SMITH. Viscoelastic properties of filled rubberlike propellants .....                         | 291           | REBINDER, P. O., see Yampolskii, B. Ya.   |       |
| LE BRAS, J. Book, "Rubber," 1st issue .....   | xix           | REHNER, J. Jr., see Wanless, G. G., Wei, Peter E.   |       |
| —, Rubber reinforcement by resins .....   | 1308          | —, see Wei, P. E.   |       |
| LEHNEN, J. Book, Measuring and Control Techniques, 1st issue .....  | xix           | REITLINGER, S. A., see Kuzminskii, A. S.  |       |
| LEINWEBER, G., see Westlinning, H.  |               | ROBB, J. C., AND J. C. PEAKER, High Polymers Review, Vol. 1, 5th issue .....  | xxii  |
| LERNER, M., Rubber Bibliography for 1957-58, 4th issue .....  | xiv           | ROBINSON, A. E., J. V. MARRA AND L. O. AMBERG. EP rubber vulcanization with peroxides and coagents .....                            | 1083  |
|   |               | ROSS, J. A., see Sharp, T. J.   |       |

- |   | Page |   | Page           |
|---|------|---|----------------|
| RUPAR, W. AND J. M. MITCHELL. Electron microscope study of SBR latex .....  | 1028 | VERBANC, J. J., M. S. FAWCETT, E. J. GOLDBERG. Ethylene propylene non-conjugated diene terpolymer .....   | 1126           |
| SALCEDO, F. S., see Bills, Jr., K. W.   |      | VOYUTSKII, S. S. AND V. L. VAKULA. Adhesion of elastomers to various substrates .....   | 794            |
| SANFIROVA, T. P., see Zhurkov, C. N.  |      | —, see Raevskii, V. G.  |                |
| SATO, Y. AND J. FURUKAWA. Molecular theory of reinforcement .....   | 857  | WALL, L. A. AND J. H. FLYNN. Degradation of polymers review .....   | 1157           |
| SCHALLAMACH, A., see Grosch, K. A.  |      | WANLESS, G. G., PETER E. WEI AND J. REHNER, JR. Reaction of sulfur and <i>t</i> -butyl peroxide with isoparaffins .....                         | 118            |
| SCHMIEDER, H. D., see Heinze, H. D.   |      | —, PETER E. WEI AND J. REHNER, JR. Isoparaffins, sulfur and <i>t</i> -butyl peroxide .....  | 562            |
| SCHNELL, G., see Heinze, H. D.  |      | WATANABE, K. Stress relaxation and creep .....  | 182            |
| SCHOENBECK, M. A. Unsaturated ethylene propylene polymer, compounding with fillers and plasticizers .....           | 1142 | WATTS, J. T., see Buswell, A. G.  |                |
| SCHOLLENBERGER, C. S., H. SCOTT AND G. R. MOORE. A virtually crosslinked elastomer .....                            | 742  | WEI, P. E. AND J. REHNER, JR. New vulcanizing agents for EP rubber .....  | 118, 133, 1091 |
| SCHULZ, G. V. AND A. MULA. Size, form, and flexibility of NR molecule .....   | 908  | —, see Wanless, G. G.   |                |
| SCOTT, H., see Schollenberger, C. S.  |      | WEITZEL, P. H. Elastomeric seals, Book, 4th issue .....   | xv             |
| SEKHAR, B. C. NR, inhibition of hardening in .....  | 889  | WESTLINNING, H., G. BUTENUTH AND G. LEINWEBER. Crystallization phenomena in filled unstretched rubber .....                                     | 615            |
| SHARP, T. J. AND J. A. ROSS. NBR-PVC mixtures .....   | 726  | — AND G. BUTENUTH. Crosslink density by freezing of swollen filled NR .....   | 274            |
| SHECKMAN, L., Book, "Rubber Red Book," 1st issue .....  | xix  | WIEGAND, W. B., Charles Goodyear Medal Address, 4th issue .....   | xxiv           |
| SHERSHNEV, V. A., see Dogadkin, B. A.   |      | WISE, R. W. AND A. B. SULLIVAN. Determination of antioxidant .....  | 684            |
| SHTARKH, B. V., see Shvetsov, V. A.   |      | WOLF, K. A., see Heinze, H. D.  |                |
| SHTEINBERG, Z. D., see Raevskii, V. G.  |      | WU, SHU-CHIN, see Yampolskii, B. Ya.  |                |
| SHVETSOV, V. A., A. P. PISARENKO, B. V. SHTARKH AND A. S. NOVIKOV. Electron microscope study of filled rubber ..... | 335  | YAKUBCHIK, A. I., S. YA. GRILIKHES, B. I. TIKHOMIROV AND V. S. PURLOVA. Adhesion of polyethylene to metal with hydrogenated polybutadiene ..... | 1060           |
| SMITH, DAVID E., see Martel, R. F.  |      | —, V. N. REIKH, B. I. TIKHOMIROV AND A. V. PAVLIKOVA. Hydrogenation of polybutadiene .....  | 1052           |
| SIRCAR, A. K., see Chatterjee, P. K.  |      | —, B. I. TIKHOMIROV, AND V. S. SULIMOV. Hydrogenation of <i>cis</i> -polyisoprene .....   | 1063           |
| SMITH, T. L. AND A. B. MAGNUSSON. Properties of polyurethan elastomers .....  | 753  | YAMPOLSKII, B. YA., SHU-CHIN WU AND P. A. REBINDER. Hydrocarbon suspensions of C black, structure formation in Yokoyama, T., see Tanaka, T.     | 877            |
| SMITH, THOR L., see Landel, R. F.   |      | YOUNG, E. J., see Trivette, C. D.   |                |
| SNOWDEN, J. C. Absorption of vibration with elastomers .....  | 798  | YUE-JIN, U., see Zuev, Yu. S.   |                |
| STARMER, P. H. AND C. H. LUFTER. Swelling in NBR .....  | 257  | ZAKHARENKO, N. V., F. S. TOLSTUKHINA AND G. M. BARTENEV. Flow of rubber and filled rubber .....   | 326            |
| STEARNS, C. A., see Trivissano, N. M.   |      | ZHURKKOV, C. N., T. P. SANFIROVA, AND E. E. TAMASHEVSKII. High rate of elongation and mechanical properties ..                                  | 813            |
| STOREY, E. C., see Gelinas, L. P.   |      | ZIARNIK, G. J. Chlorobutyl rubber, processing .....   | 467            |
| SULLIVAN, A. B., see R. W. Wise   |      | ZUEV, YU. S. AND S. I. PRAVEDNIKOVA. Ozone cracking at various O <sub>3</sub> concentrations .....  | 411            |
| SWIFT, McL., see Moore, C. G.   |      | —, A. Z. BORSHCHEVSKAYA, S. I. PRAVEDNIKOVA AND U. YUE-JIN. Temperature on corrosion cracking .....   | 437            |
| SYLIMOV, V. S., see Yakubchik, A. I.  |      |   |                |
| TAMASHEVSKII, E. E., see Zhurkov, C. N.   |      |   |                |
| TANAKA, T. AND T. YOKOYAMA. Physical properties and structure of polyurethans                                       | 970  |   |                |
| THIRION, P., see Chasset, R.  |      |   |                |
| TIKHOIROV, B. I., see Yakubchik, A. I.  |      |   |                |
| TODD, R. V., see Brown, R. J.   |      |   |                |
| TOLSTUKHINA, F. S., see Zakharenko, N. V.   |      |   |                |
| TREGO, B. R., see Moore, C. G.  |      |   |                |
| TRELOAR, L. R. G. Rubber Covered yarns, physical properties .....   | 949  |   |                |
| TRIVETTE, C. D., E. MORITA, AND E. J. YOUNG. Mercaptothiazole accelerators review .....                             | 1360 |   |                |
| TRIVISSANO, N. M., C. A. STEARNS AND J. M. KIME. Dynamic testing apparatus  | 937  |   |                |
| TSURUGI, JITSUO, see Fukuda, Haruko   |      |   |                |
| VAKULA, V. L., see Voyutskii, S. S.   |      |   |                |
| VEITH, A. G., see Juve, A. E.   |      |   |                |

SUBJECT INDEX

	Page		Page
Abrasion and reinforcement, evaluation of, Rubber Review .....	1276	Effect of structure and dispersion on deformation behavior .....	590
Abrasion .....		Compared to inorganic fillers .....	833
Wear research .....	339, 354	Influence of, on strain dependence of viscoelasticity .....	813
Resistance and cut growth of pyridine butadiene rubber .....	466	Bound rubber, rubber gel, I .....	599
Accelerators, Rubber Review .....	1360	Bound rubber, II .....	611
Accelerators .....		Bound rubber, crystalline rubber phase in Research on, 4th issue .....	615
Review .....	1	Research on, 4th issue .....	xxiv
Radiochromatographic separation of sulfur and .....	449	In EPR .....	1142
Mechanism of sulfenamid types .....	484, 491, 644, 652	Dispersion .....	228, 250, 335, 819
Effect on free sulfur determination .....	498	Adsorption properties .....	311
Action of 2-aminothiobenzothiazole .....	484	Infrared spectra of .....	311
Radicals from .....	644, 652	Electrical anisotropy in stretched filled rubber .....	317
MBTS .....	652	Effect on viscosity .....	326
Determination of thiazoethiol types .....	665	Oxidized .....	311
See thiuram sulfides, TMTD, TMTM, MBT, MBTS, sulfenamids, etc.		Effect on S migration .....	621
Accelerators, Exchange with S <sup>8</sup> , polysulfides, etc. ....	1, 27, 449	Carbon black, reaction with S, MBT and TMTD in vulcanization .....	
See kinetics of vulcanization, crosslinking, vulcanization, activators .....		See reinforcement, molecular theory of, crosslinking .....	
Activation energy .....	76	Cavitation .....	
See vulcanization, accelerators, corrosion cracking, viscosity .....		Around filler particles .....	284, 291
Activators .....	1, 32	And elongation .....	876
Adhesion .....		And reinforcement theory .....	857
Of various rubbers to other high polymers .....	1047, 794	See rupture .....	
Of rubber to filler surface .....	857	Chemical compatibility in dispersion of fillers .....	881
Rubber adhesion, effect of sulfur cure ....	1041	Charles Goodyear medal address, 4th issue .....	xxiv
Adhesion, Book, see Bilkerman, J. J. ....		5th issue .....	xxvii
Handbook, 5th issue .....	xxi	Coatings, science of, H. W. Chatfield, Book, 4th issue .....	xiv
Adsorption .....		Cohesion, molar .....	558
See carbon black, fillers, reinforcement, etc.		Compatibility of fillers .....	881
Analytical chemistry of polymers .....		Compression set, Book, 4th issue .....	xix
II. Molecular structure and chemical groups, Book, 4th issue .....	xvii	Conductivity .....	317
III. Identification procedures and chemical analysis, 4th issue .....	xviii	Copolymerization .....	
Anisotropy of stretched filled rubber .....	317	See polymerization .....	
Antidegradants .....		Cords, rubber covered .....	949
Determination .....	676, 684	Corrosion cracking, temperature on .....	437
See stabilizers, antioxidants, antiozonants, antirads .....		Chlorobutyl rubber .....	
Antioxidants .....		Processing .....	467
Tritium tracer study of, in SBR .....	692	Crack propagation .....	210
Antiozonants .....	421	Temperature on corrosion .....	437
See ozone cracking .....		See ozone cracking .....	
Antirads .....		Creep .....	182
See antioxidants .....		Critical rupture .....	178
ASTM Standards, 1961, Rubber Products, Book, 2nd issue .....	xi	Crosslink density and fillers .....	105, 113
ASTM 5-year Index, 5th issue .....	xxiv	See fillers, bound rubber, etc.	
Autohesion .....		Crosslink structure .....	105, 113, 118, 133
See adhesion .....		Crosslink(s) .....	
Bibliography of Rubber, 4th issue .....	xiv	Density (swelling) .....	274, 284
Blooming .....	147	In PBR .....	453
Bond energy, S-S .....	661	See crosslinking .....	
Bound rubber .....	611, 599, 284	Crosslinking .....	
Butadiene rubber compounding and testing .....	517, 536, 546	Bis alkylation mechanism vs unsaturation reactions in .....	477
Butyl rubber .....		Effect on 2nd order transition, infrared spectra, dynamic properties, etc. ....	776
Chlorobutyl processing .....	467	By radiation in latex-black mixes .....	848
Reinforcement, curing with various crosslinking systems .....	467	By aging of NR .....	889
Optimum cure in .....	517	By mastication of NR .....	896
Higher unsaturation .....	705	Of fluor elastomers, 4th issue .....	xv
Resin cure of .....	713	Peroxide .....	118, 782
Carbon black .....		In reinforcement .....	284
Effect on crosslink density .....	563, 839	Radiation .....	776
Effect of, and crosslink density on mechanical properties .....	572	Dimaleimide .....	520, 528
Effect of filler surface and loading on deformation behavior .....	581	Kinetics of, see kinetics of vulcanization .....	
		In PBR cured with metal halides .....	453
		Hardening of NR .....	889
		Degree of in filled NR .....	274
		See accelerators, vulcanization, sulfur, etc.	
		Crystallization, rate, m.p. etc. ....	
		Infrared spectra and .....	57, 67
		And mechanical properties .....	753, 388
		Effect of, on sorption, diffusion and permeability .....	153, 166, 171
		In filled NR .....	274, 317

- |   |                     |   |               |
|---|---------------------|---|---------------|
| Of solvent in filled NR   | Page 274            | Glass beads as  | Page 291      |
| Effect on adhesion  | 794                 | Effect on crosslink density   | 563           |
| Crystallizable rubber   |                     | Effect on mechanical properties   | 572           |
| Behavior at high extension rate   | 813                 | See carbon black, other fillers, reinforcement, abrasion, etc.                              |               |
| Cut growth and abrasion resistance of filled pyridine butadiene rubber              | 466                 | Fillers and deformation behavior  |               |
| Deformation   |                     | Loading on  | 581           |
| Effect of stretching on sorption, diffusion and permeability                        | 153, 166            | Structure on  | 590           |
| And fillers, see fillers  |                     | Inorganic   | 833           |
| Internal, and reinforcement theory  | 857                 | Crosslinking  | 572, 563, 839 |
| Degradation, Rubber Review  | 1157                | Filler-rubber interaction   | 259, 284, 305 |
| Degradation   |                     | As revealed by freezing of swollen vulcanizates   | 274           |
| See kinetics, polymerization, vulcanization, aging, mechanochemical, etc.           |                     | And swelling  | 284           |
| Determinants in research, 4th issue   | xxiv                | Heat treatment and  | 467           |
| Dialkyl- <i>p</i> -phenylene diamines   |                     | Adhesion, nonadhesion and cavitation in   | 857           |
| See <i>p</i> -phenylenediamines   |                     | And filler compatibility  | 881           |
| Diaryl- <i>p</i> -phenylenediamines   |                     | Flow  |               |
| See <i>p</i> -phenylenediamines   |                     | See viscosity   |               |
| Diene polymers  |                     | Fluorine containing polymers, peroxide crosslinking. L. Paciorek, Interim report, 4th issue | xv            |
| Infrared study of   | 57                  | Friction of elastomers  | 371, 379      |
| Dicumyl peroxide  |                     | Gel in filled rubber  | 284           |
| Isomerization of polybutadiene with   | 545                 | See bound rubber, vulcanization, fillers, reinforcement, crosslinking, etc.                 |               |
| Crosslinking  | 782                 | Glass temperature   |               |
| Vulcanization of EP rubber with   | 1083                | See Transition, 2nd order   |               |
| Diffusion   |                     | Hardness, change in NR caused by crosslinking   | 889           |
| Of hydrocarbons in rubber   | 153, 166            | Heat treatment of filled elastomers and vulcanization, MgO                                  | 467           |
| Of S <sub>8</sub>   | 173, 621            | High molecular weight materials, Vol. XIV, part 1 of Houben-Weyl, Book, 3rd issue           | xi            |
| Dimalimides   |                     | High speed testing, Book, 4th issue   | xii           |
| Crosslinking of NR, SBR, neoprene, polyethylene and polypropylene                   | 520, 528            | Hydrogenated polybutadiene  | 1052          |
| 2,6-Dimethylocta-2,6-diene  |                     | Hydrogenated polyisoprene   | 1063          |
| Model for S curing  | 633                 | Induction period  |               |
| N,N-Dinitroso- <i>p</i> -phenylenediamine-bis(hydroxylamine) salts                  |                     | See scorch, vulcanization, oxidation  |               |
| Vulcanization with  | 141                 | Infrared spectra  |               |
| Diphenylmethane as model for rubber in study of vulcanization                       | 484, 491            | Structure of NR   | 57, 782       |
| Dispersion of fillers   | 228, 250, 335       | Of carbon black   | 311           |
| Random dispersion   | 819                 | Effect of S vulcanization on  | 782           |
| Dynamic properties  | 46, 388             | Effect of radiation on  | 778           |
| Effect of cure on   | 776                 | Infrared spectroscopy, review of applications to polymers                                   | 57            |
| And absorption of vibration   | 798                 | Inorganic fillers   | 833           |
| Of <i>cis</i> -polyisoprene and deuterio <i>cis</i> -polyisoprene                   | 937                 | Isomerization   |               |
| See accelerators, vulcanization   |                     | Infrared spectra and, of NR   | 57, 66, 782   |
| Dynamic tests   |                     | Of polybutadiene with NO <sub>2</sub>   | 618           |
| Apparatus for   | 388, 937            | Isoparaffins, sulfur and peroxides  | 118, 133      |
| Elastomers  |                     | ISO Recommendations   |               |
| Fluorine containing, 4th issue  | xv                  | KOH No. of latex, 1st issue   | xviii         |
| See SBR, NBR, PBR, BR, Neoprene, butyl, polyurethane, EP rubber, polyisoprene, etc. |                     | Flex cracking test, 1st issue   | xx            |
| Elastomeric seals for low temperature, Book, 4th issue                              | xv                  | Flex cracking test, 1st issue   | xxvii         |
| Electrical anisotropy of filled rubber  | 317                 | Italian Yearbook, 5th issue   | xxiv          |
| Electron microscope in rubber research  |                     | Kinetics  |               |
| Filler dispersion   | 228, 250, 335       | Of rheological behavior   | 1013          |
| Synthetic latex   | 1028                | Kuala Lumpur Conf., 4th issue   | xi            |
| Energy, S-S bond  | 661                 | Latex carbon black masterbatch process  | 250           |
| See activation  |                     | Latex, NR   |               |
| Ethylene-propylene rubber   |                     | Reinforcement in  | 848           |
| Vulcanization   | 118, 133, 562, 1083 | Latex   |               |
| Soluble catalysts for preparation   | 1101                | Study of with electron microscope   | 1028          |
| Sulfur curable  | 1114, 1126, 1142    | Low Temp. Properties, 4th issue   | xvi           |
| Fatigue   | 46                  | Magnesium oxide   |               |
| See accelerators, vulcanization   |                     | Retarding effect on heat treatment  | 477           |
| Fibers, Book, see Carroll-Porczynski, C. Z.   |                     | Makromolekulare Stoffe. Vol. XIV, Part 1 of Houben-Weyl                                     |               |
| Filled rubber   |                     | "Methoden der Organischen Chemie," Book, 3rd issue  | xi            |
| Behavior at high extension rate   | 813                 | Masterbatch, carbon black   | 250           |
| Viscoelastic properties of  | 291                 | Mastication   |               |
| Filled EPR  | 1142                | Formation of MBTS from MBT during   | 671           |
| Fillers, filled stocks  |                     | Crosslinking during   | 896           |
| Random dispersion of  | 819                 | MBT   |               |
| Dispersion of   | 228, 250, 335       | Determination   | 665           |
| Adsorption properties of  | 311                 |   |               |
| Noncarbon black   | 284, 291, 335, 833  |   |               |
| Effect on scorch period   | 509                 |   |               |

	Page		Page
Reaction with rubber	671	Phys. Testing, Russian, 5th issue	xx
See accelerators		Poisson distribution of fillers	819
MBTS		Polybutadiene	
Reaction with diphenylmethane, S, and zinc butyrate, see diphenylmethane		Infrared spectra	57
Activity and radicals from	652	Isomerization with sulfur	536
Determination	665	Compounding	546
Formation during milling	671	Isomerization with NO <sub>2</sub>	618
See accelerators		Hydrogenated	1052
Measuring and control techniques, Book, see Lehman, J.		Prepared with AlR <sub>2</sub> Cl and CoCl <sub>2</sub>	1066
Mechanical properties	388	Polyisoprene	
At high extension rates	813	Microstructure see infrared, x-ray diffraction	57
Of rubber covered yarns	949	Hydrogenated	1063
See fillers		And deuterio- <i>cis</i> -polyisoprene dynamic testing	937
Mechanical properties of polymers, L. E. Nielson, Book, 4th issue	xx	See also natural rubber	
Mechanism of vulcanization		Polydiene elastomers	
See vulcanization, kinetics, etc.		Microstructure, see infrared x-ray diffraction	
Mechanochemical		Poly(dimethylbutadiene)	
Degradation	896	Infrared spectra	57
See fatigue, mastication		<i>cis</i> -1,4-Polyisoprene rubbers	57
Mercaptothiazole and derivatives		Polypiperylene	
Rubber Review	1360	Infrared spectra	57
See MBT, accelerators		Polystyrene	
Microscopy		Crosslinked	457
In study of fillers	228	Polysulfides	
Of latex	1028	In vulcanization	2
See fillers, latex		See kinetics of vulcanization	
Microstructure	57	Polyurethans	
Model system		Viscoelastic properties	284, 291, 753
Diphenylmethane as model for rubber in study of cure	484, 491	Ultimate properties, crosslinking, T <sub>g</sub> , crystallization, strength, etc.	753
Hydrocarbon dispersions as model for rubber-filler	877	Relation between structure and properties	970
See isoparaffins	118	Polyurethan VC	742
Molecular theory of reinforcement	857, 906	Poly(vinyl chloride)	
Molecular packing and reinforcement, size, form, and flexibility of rubber	906, 908	Poly(vinyl chloride) filled with glass beads for study of reinforcement	726
Molecular weight of NR	908	Mixture of with NBR	716
Molecular Structure, 4th issue	xvii	Processing, Book	xxiii
Mullins effect	259	Properties of materials at low temperatures (Phase I), Book, 4th issue	xvi
Natural rubber research conference proceedings, 4th issue	xi	Radiation chemistry of polymeric systems, Book, A. Chapiro, 4th issue	xii
Natural rubbers, structure	73	Radiation crosslinking	776, 848
Neoprene		Radiation	
Vulcanization with N,N'-dinitroso-p-phenylene-bis (hydroxylamine) salts	141	Of carbon black NR latex mixes to cause reinforcement	848
Optimum cure in	517	Radiochromatographic separation of sulfur and accelerators	449
NBR rubber		Radiosulfur	
Swelling effects of, of varying nitrile content in solvents and mixed solvents	257	Separation from accelerators	449
Oxidation	700	Diffusion	621
Mixtures of, with PVC	716, 726	Random filler dispersion theory	819
Nitrile butadiene rubber		Reclaimed rubber, Book, 3rd issue	xii
See NBR		4th issue	xviii
Optimum cure	517	Reinforcement by resins, Rubber Review	1308
Optimum cure	42	Reinforcement	228, 250
See accelerators, vulcanization		In NR latex	848
Oxidation		Volume change in	876
Infrared spectra and	57, 70	Hydrocarbon dispersions as model for	877
Ozone cracking		Study by freezing of swollen vulcanizates	274
Mechanics of	200	And crosslinking	274, 372, 563, 857
Crack propagation in	210	Molecular theory of	876
Effect of ozone concentration	411	The three effects of	876
Factors influencing	421	Abrasion resistance of filled PBR	466
Of high unsaturation butyl	705	Change in volume during	906
See corrosion cracking		See abrasion, carbon black structure, dispersion fillers	
PBR (vinylpyridine rubber)		Retarders	
Curing of with metal halides	453	Effect on structure, kinetics, etc.	501, 509
Permeability	153, 166	Resin curing of high unsaturation butyl	705
Peroxide cured silica stocks		Resin reinforcement	
See dicumyl peroxide		See reinforcement	
p-Phenylenediamines		Reversion	42
Determination	676, 684	See vulcanization, accelerators, aging	
m-Phenylenedimaleimide		Rheological properties	
Crosslinking with	520, 528	Kinetic interpretation	1013
Physical properties	388	See Mooney, M.	
At high extension rate	813	Rolls, rubber covered, behavior	224, 403
In polyurethans	970	Rolling radius of rubber covered cylinders	224, 403
See rheological properties		Rolling wheel tests	1342
		Rubber, Book, see LeBras, J.	



	Page		Page
Rubber covered rolls, behavior	224, 403	Textiles	
5th issue	xx	See rubber covered yarns	
Rubber covered yarns		Thiazolethiol	
Properties of	949	See mercaptothiazole	
Rubber derivatives	73	Thiuram vulcanization	
Bromide of rubber	909	Reaction of thiuram (TMTD, TETD)	
Rubber literature, bibliography, Book, 4th issue	xiv	with alkali	659
5th issue	xx	See kinetics, see TMTD	
Rubber News, new journal, 1st issue	xx	Tire compounding	546
Rubber Red Book, Directory of the Rubber Industry, see Sheekman, L.		Diffusion of S in tires	621
Rupture and tear	178	Tire tread wear	339, 354
Rupture	178	Tire wear at controlled slip, Rubber Review	1342
At high extension rates	813	TMTD	
Russian-English Dictionary, Book, see Carpo- vich, E. A.		Reaction with alkali	659
SBR		Heat of formation and the S-S bond energy in	661
Oxidation of	692	See vulcanization	
Scorch period		TMTM	
In chlorobutyl cure, control of with MgO	474	Heat of formation	661
Effect of retarders	501	Tolstoi viscometer	326
Structure changes during	509	Transitions	
See kinetics of vulcanization, accelerators		2nd order (glass)	295, 558
Seals, NBS report, 4th issue	xv	Effect of crosslinking on 2nd order	776
Second order transition		Translations, RAPRA, 1st issue	xx
See transition, 2nd order		Triphenylphosphine	
Silica, effect on thermal aging of latex thiuram cures	834	Reaction with S-cured vulcanizates	113
Silicone elastomers, Rubber Review	1222	Tritium tracer study of antioxidants in SBR	692
Solubility of hydrocarbons in rubber	153, 166		
Sorption of hydrocarbons by stretched rubber	153, 166	Vacuoles in filled stocks	
Strain dependence of viscoelasticity		See cavitation	
Influence of carbon black	918	Vibration	
NR and butyl at high extensions	927	Damping of	798
Strength		Vinylpyridine rubber	
And critical rupture	178	See PBR	
Of PBR	453	Viscoelastic properties	291, 388
See reinforcement		Strain dependence of in presence of car- bon black	918
Stress relaxation	182	Viscometer, parallel plate	326
Structure		Viscosity of filled rubber	326
Relation between 2nd order transition and molar cohesion	558	Vitrification	
And friction	371	Shift of by crosslinking	776
See other headings, e.g., ozonolysis, isomeri- zation, grafting, NK, NBR, SBR, cross- linking, infrared, x-ray diffraction, instrumental		See transition, 2nd order	
Structurization in carbon black hydrocarbon suspensions	877	Vulcanizate	
Sulfenamides		Structure and efficiency of crosslinking	105, 113, 501, 509
See accelerators	644, 652	Triphenylphosphine degradation	113
Sulfur curable EPR	1114, 1126, 1142	Vulcanization	
Sulfur		Rubber-sulfur	105, 113, 633
Free, total, sulfide in vulcanizates	498	Reaction of isoparaffins with sulfur and t-butylperoxide	118, 562
Isoparaffins and peroxides	118, 562	With various crosslinking systems	474
Blooming of	147	New vulcanizing systems	133, 141
Isomerization with	536	Of nonhalogen containing elastomers	141
Migration in tires	621	Maleimide crosslinking	520, 528
See radiolabeling, kinetics, vulcanization		By radiation	776
Sulfur reactions, Book, W. A. Pryor, 2nd issue	xii	Optimum cure	517
Sulfur compounds, Book, I. N. Kharasch, 2nd issue	xii	Effect on infrared spectra	57, 72
Surface Coatings, 4th issue	xiv	Effect on 2nd order transition	776
Swelling		Effect on adhesion	1041, 1047
Of nitrile rubber	257	Of ethylene-propylene rubber	1083, 1091
Of filled vulcanizates	274, 284	Gov't report, 4th issue	xv
Temperature		Kinetics	517
Effects on rates, see viscosity, kinetics, degradation vulcanization, corrosion cracking		Nonsulfur	141
Coefficient of vulcanization	76, 92	Review	1
Tensile		Temperature coefficient	76, 92, 501
See rupture		Activation energy	76, 92
Textiles and rubber, Book, Jean Vene, 2nd issue	xiii	See accelerators, radiation, retarders	
		Vulcanization chemistry IX and X	
		Sulfenamide effects	484, 491
		Vulcanization principles, M. L. Studebaker, Book, 2nd issue	xiii
		Wear	
		Towing device for estimating	339, 354
		See tire wear, carbon black abrasion	
		Weathering	
		See ozone cracking	
		Ziegler polymerization	
		Polybutadiene	1066
		Zinc oxide and other additives on cure	633



